

Can it be used on HDD?	Can it be used on Titan joint type (push-on) fittings, hydrants and valves?	How does the inspector know when it's installed?	Can you install the gasket outside of the ditch?	Where are the gaskets made?
Yes, depending on the application.	No. RieberLok may be used in any PVC socket originally manufactured with a Rieber Gasket.	There are "Restrained by RieberLok" tape and stickers available.	Yes, provided the bell and spigot are free of debris when installed.	Currently by Gulf Rubber (Vietnam)

Frequently asked questions

What are the gaskets made of?

- Standard rubber for the RieberLok gasket is SBR.
- EPDM is available.

Can you make other colors?

- Not yet.

What are teeth made of?

- The locking segments are made from a 400 Series stainless steel by a proprietary process.

What is 400 series stainless?

- A 400-series stainless steel is a martensitic stainless that generally contains about 11% chromium. This produces a corrosion resistant metal with high strength and high wear resistance characteristics.

Frequently asked questions

Can you install the RieberLok backwards?

You can but it will not function and most likely will not stay in the socket during joint assembly. To check for proper installation try to pull the joint back apart after joint assembly. It should not separate.

Will the gasket roll?

Not when installed correctly.

What if you over-insert the spigot?

The RieberLok is a self-restraining gasket which means that it automatically grabs and holds the spigot in place once the joint is assembled. Extending an over inserted joint is not generally possible. If this occurs, it is recommended that the spigot be cut off the pipe and removed from the socket, beveled and the joint remade. See RieberLok Field Cut procedures.

Frequently asked questions

Who carries the warranty?

- RieberLok warranties that the joint will be leak free and restrained.

Is there UL or FM on it?

- FM Certified at 150 psi. No UL currently.

When will the line be complete?

- 4"-12" available now. 10" will be available early 2019. 16" by mid-2019.

What will the full-size range be?

- 4"-16"

Frequently asked questions

What do you do with the old Rieber gasket?

The original Rieber gasket can be disposed of. Or, tape it to the joint so the inspector knows the joint is now restrained.

Does it work on C-909

There is no RieberLok gasket for C-909 sockets (C-909 sockets are not manufactured with a Rieber Gasket). RieberLok may be used on C-909 spigots however.

Does it work on fittings?

Yes, if it is a one for one rieber gasket replacement. See above.

Frequently asked questions